



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISONS			
REV	DESCRIPTION	DATE	INITIAL



 RED BARN MACHINE	
TITLE T/R ROTATING CONTROLS ADJUSTING	
DWG NO. RBW6705G00332-3G	REV 1
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: GILBERT APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL AW139
SCALE 1:6	DATE 5/25/2012
SHEET 1 OF 4	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	FLAPPING LOCKING TOOL, T/R		RBW6705G00632-3G	1
			-3	1	CLINOMETER SUPPORT TOOL, T/R		RBW6705G00531-3G	1
			-5	1	BOTTOM FOAM	Y20 BLACK	4.25 X 11.40 X 17.0	2
			-7	1	TOP TOOL CUSHION	C200 BLACK, FLAT	1.73 X 11.40 X 17.00	3
			-9	1	PLACARD	ALUMINUM	1/16 X 4 X 5	4
		B/O	-11	1	CASE	PLASTIC	PELICAN # APP-1500-E	NS


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



⑤



Technical drawing of a mechanical part showing a top view. The drawing includes the following dimensions and features:

- Overall width: 17.00
- Overall height: 4.25
- 8X R.68: Eight fillets with a radius of 0.68.
- 4X 2°: Four bevels with a 2-degree angle.
- A dashed line indicates a stepped internal feature.

 <h1>RED BARN MACHINE</h1>	
TITLE <h2>T/R ROTATING CONTROLS ADJUSTING</h2>	
DWG NO. <h3>RBW6705G00332-3G-5</h3>	REV
MAT'L Y20 BLACK UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: GILBERT APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC USED ON MODEL AW139
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE 1:5 DATE 5/25/2012 SHEET 2 OF 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED





⑦

TOP TOOL CUSHION

RED BARN MACHINE	
TITLE T/R ROTATING CONTROLS ADJUSTING	
DWG NO. RBW6705G00332-3G-7	REV
MAT'L C200 BLACK, FLAT	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:5	DATE 5/25/2012
SHEET 3 OF 4	



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



-9

PLACARD

 RED BARN MACHINE	
TITLE T/R ROTATING CONTROLS ADJUSTING	
DWG NO. RBW6705G00332-3G-9	REV
MAT'L ALUMINUM	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED  HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW139
SCALE 1:2	DATE 5/25/2012
SHEET 4 OF 4	